Appln. No.: 10/553,264

IN THE CLAIMS:

Please cancel Claims 1, 2, 6 and 8-11 without prejudice or disclaimer of the

subject matter recited therein.

Please amend Claims 3-5 and 7 as follows.

Claims 1 and 2. (Cancelled).

(Currently Amended) A device according to Claim [[1]] 7, wherein the

first electrode is disposed at opposite two side surfaces of the closed space.

4. (Currently Amended) A device according to Claim [[1]] 7, wherein the

first electrode is disposed at four side surfaces of the closed space.

5. (Currently Amended) A device according to Claim [[1]] 7, wherein the

first electrode is disposed at opposite two side surfaces of the closed space, and at other opposite

two side surfaces of the closed space, a side surface electrode for cancelling an influence of an

electric field, on an adjacent pixel, generated by the first and second electrodes is disposed.

Claim 6. (Cancelled).

-2-

Appln, No.: 10/553,264

(Currently Amended) [[A]] An electrophoretic display device according to Claim 6, comprising:

a first substrate and a second substrate which are disposed with a spacing therebetween;

a partition wall disposed in the spacing;

electrophoretic particles sealed in a closed space, defined by the first and second substrates and the partition wall,

a first electrode disposed at a side surface of the closed space; and
a second electrode disposed at a bottom surface of the closed space,
with distribution of the electrophoretic particles in the closed space
being changed according to a voltage between the first and second electrodes to effect display,
wherein each of the first and second electrodes is coated with an
insulating layer at a surface thereof.

wherein the first electrode has an area equal to an area of the second electrode, and a first distance from the first electrode to a surface of an the insulating layer disposed on the first electrode is equal to a second distance from the second electrode to a surface of an the insulating layer disposed on the second electrode, and

wherein when an intersection line is taken as a line of intersection of an extended plane of an electrode surface of the first electrode and an extended plane of an electrode surface of the second electrode, a distance from the intersection line to an edge of the first

Appln. No.: 10/553,264

electrode surface closest to the intersection line is equal to a distance from the intersection line to an edge of the second electrode surface closest to the intersection line.

Claims 8-11. (Cancelled).